AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claim 1. (Currently Amended) A compound of formula (I) or a pharmaceutically or veterinarily acceptable salt thereof:

$$R_1$$
 $X - R_4$
 R_3
 R_1
 R_2
 (I)

wherein

 R_1 and R_3 independently represent H; F; Cl; Br; -NO₂; -CN; C₁-C₆ alkyl optionally substituted by F or Cl; or C₁-C₆ alkoxy optionally substituted by F;

 R_2 represents H, or optionally substituted C_1 - C_6 alkyl, C_3 - C_7 cycloalkyl or optionally substituted phenyl;

Y represents $-O_{-}$, $-S_{-}$, N_{-} oxide, or $-N(R_{5})_{-}$ wherein R_{5} represents H or C_{1} - C_{6} alkyl; X represents a bond or a divalent C_{1} - C_{6} alkylene radical;

 R_4 represents $-C(=O)NR_6R_7$, $-NR_7C(=O)R_6$, $-NR_7C(=O)OR_6$, $-NHC(=O)NHR_6$ or $-NHC(=S)NHR_6$ wherein

R₆ represents H, or a radical of formula -(Alk)_b-Q wherein b is 0 or 1 and

Alk is an optionally substituted divalent straight chain or branched C_1 - C_{12} alkylene, C_2 - C_{12} alkenylene or C_2 - C_{12} alkynylene radical which may be interrupted by one or more non-adjacent –O-, -S- or –N(R_8)- radicals wherein R_8 represents H or C_1 - C_4 alkyl, C_3 - C_4 alkenyl, C_3 - C_4 alkynyl, or C_3 - C_6 cycloalkyl, and

Q represents H; -CF₃; -OH; -SH; -NR₈R₈ wherein each R₈ may be the same or different; an ester group; or an optionally substituted phenyl, C₃-C₇ cycloalkyl, C₅-C₇ cycloalkenyl or heterocyclic ring having from 5 to 8 ring atoms; and

 R_7 represents H or C_1 - C_6 alkyl; or when taken together with the atom or atoms to which they are attached R_6 and R_7 form an optionally substituted heterocyclic ring having from 5 to 8 ring atoms;

provided that when R_1 , R_2 , and R_3 are all H, Y is -NH-, and X represents a bond, then R_4 may not be $-C(=O)NR_6R_7$, wherein R_6 and R_7 are H, or -NHC(=O)NHR₆, wherein R_6 is -(Alk)_b-Q wherein b is 1, Alk is C_1 alkylene and Q is H.

- Claim 2. (Original) A compound as claimed in claim 1 wherein R_1 is H, F, Cl, methyl or methoxy.
- Claim 3. (Previously Presented) A compound as claimed in claim 1 wherein R₂ is H, methyl, methoxy, cyclopropyl, phenyl, or fluoro-, chloro-, methyl, or methoxy-substituted phenyl.
- Claim 4. (Currently Amended) A compound as claimed in claim 1 wherein R₃ is H, F, Cl, methyl, or methoxy, or methylenedioxy.
- Claim 5. (Previously Presented) A compound as claimed in claim 1 wherein Y is -O-, -S-, or $-N(R_5)$ wherein R_5 represents H or methyl.
- Claim 6. (Previously Presented) A compound as claimed in claim 1 wherein X is a bond, or a -CH₂- or -CH₂CH₂- radical.
- Claim 7. (Previously Presented) A compound as claimed in claim 1 wherein R₄ represents -C(=O)NHR₆, -NR₇C(=O)R₆, -NR₇C(=O)OR₆, -NHC(=O)NHR₆ or -NHC(=S)NHR₆ and in these R₆ is H or a radical of formula -Alk_b-Q wherein b is 0 or 1 and

Alk is a $-(CH_2)_n$ -, $-CH((CH_2)_mCH_3)(CH_2)_n$ -, $-CH((CH_2)_mCH_3)((CH_2)_pCH_3)(CH_2)_n$ -, $-(CH_2)_n$ -O $-(CH_2)_m$ -,

or $-(CH_2)_n$ -O- $(CH_2)_n$ -O- $(CH_2)_m$ -, radical where n is 1, 2, 3 or 4 and m and p are independently 0, 1, 2, 3 or 4, and Q represents H, -OH, -COOCH₃ phenyl, cyclopropyl, cyclopentyl, cyclohexyl, pyridyl, furyl, thienyl, or oxazolyl₇, and

 R_7 is H, or when taken together with the nitrogen atom to which they are attached R_6 and R_7 form a pyrrolidine-2-one or pyrrolidine-2,5-dione ring.

Claim 8. (Previously Presented) A compound as claimed in claim 1 wherein R_1 is H, F, or Cl; R_2 is H; R_3 is H, F, or Cl; Y is-NH-; X is a bond; and R_4 represents $-C(=O)NHR_6$, $-NR_7C(=O)R_6$, $-NR_7C(=O)OR_6$ or $-NHC(=O)NHR_6$ wherein:

 R_6 is H or a radical of formula -Alk_b-Q wherein b is 0 or 1 and

Alk is a $-(CH_2)_n$ -, $-CH((CH_2)_mCH_3)(CH_2)_n$ -, $-CH((CH_2)_mCH_3)((CH_2)_pCH_3)(CH_2)_n$ -, $-(CH_2)_n$ -O- $-(CH_2)_n$ -O- $-(CH_2)_n$ -O- $-(CH_2)_n$ -O- $-(CH_2)_n$ -, radical where n is 1, 2, 3 or 4 and m and p are independently 0, 1, 2, 3 or 4, and Q represents H, -OH, -COOCH₃ phenyl, cyclopenyl, cyclopenyl, cyclohexyl, pyridyl, furyl, thienyl, or oxazolyl-, and

R₇ is H, or when taken together with the nitrogen atom to which they are attached R₆ and R₇ form a pyrrolidine-2-one or pyrrolidine-2,5-dione ring.

Claim 9. (Previously Presented) A compound as claimed in claim 1 wherein R_1 is F, R_2 is H or cyclopropyl, R_3 is H, X is a bond, and R_4 is $-C(=O)NHR_6$, $-NRHC(=O)R_6$, or $-NHC(=O)NHR_6$.

Claim 10. (Original) N-(3-Dimethylamino propyl)-4-(4-cyclopropyl-3-oxo-3,5-dihydro-pyrazolo[4,3-c]quinolin-2-yl]-benzamide, or pharmaceutically or veterinarily acceptable salt thereof.

Claim 11. (Canceled)

Claim 12. (Canceled)

Claim 13. (Currently Amended) A method of immunomodulation in humans and non-human primates, comprising administration to a subject in need of such treatment an immunomodulatory effective dose of a compound as claimed in claim 1 of formula (I) or a pharmaceutically or veterinarily acceptable salt thereof:

$$R_1$$
 R_2
 $X-R_4$
 R_3
 R_1
 R_2
 (I)

wherein

R₁ and R₃ independently represent H; F; Cl; Br; -NO₂; -CN; C₁-C₆ alkyl optionally substituted by F or Cl; or C₁-C₆ alkoxy optionally substituted by F;

 R_2 represents H, or optionally substituted C_1 - C_6 alkyl, C_3 - C_7 cycloalkyl or optionally substituted phenyl;

Y represents $-O_{-}$, $-S_{-}$, N_{-} oxide, or $-N(R_{5})$ - wherein R_{5} represents H or C_{1} - C_{6} alkyl; X represents a bond or a divalent C_{1} - C_{6} alkylene radical;

 R_4 represents $-C(=O)NR_6R_7$, $-NR_7C(=O)R_6$, $-NR_7C(=O)OR_6$, $-NHC(=O)NHR_6$ or $-NHC(=S)NHR_6$ wherein

R₆ represents H, or a radical of formula –(Alk)_b-Q wherein b is 0 or 1 and
Alk is an optionally substituted divalent straight chain or branched C₁-C₁₂ alkylene,
C₂-C₁₂ alkenylene or C₂-C₁₂ alkynylene radical which may be interrupted by one or more
non-adjacent –O-, -S- or –N(R₈)- radicals wherein R₈ represents H or C₁-C₄ alkyl, C₃-C₄
alkenyl, C₃-C₄ alkynyl, or C₃-C₆ cycloalkyl, and

Q represents H; -CF₃; -OH; -SH; -NR₈R₈ wherein each R₈ may be the same or different; an ester group; or an optionally substituted phenyl, C_3 - C_7 cycloalkyl, C_5 - C_7 cycloalkenyl or heterocyclic ring having from 5 to 8 ring atoms; and

 R_7 represents H or C_1 - C_6 alkyl; or when taken together with the atom or atoms to which they are attached R_6 and R_7 form an optionally substituted heterocyclic ring having from 5 to 8 ring atoms.

- Claim 14. (Previously Presented) A pharmaceutical or veterinary composition comprising a compound as claimed in claim 1 together with a pharmaceutically or veterinarily acceptable excipient or carrier.
- Claim 15. (Previously Presented) A compound as claimed in claim 2 wherein R_2 is H, methyl, methoxy, cyclopropyl, phenyl, or fluoro-, chloro-, methyl, or methoxy-substituted phenyl.
- Claim 16. (Currently Amended) A compound as claimed in claim 2 wherein R₃ is H, F, Cl, methyl, or methoxy, or methylenedioxy.
- Claim 17. (Currently Amended) A compound as claimed in claim 3 wherein R₃ is H, F, Cl, methyl, or methoxy, or methylenedioxy.
- Claim 18. (Currently Amended) A compound as claimed in claim 15 wherein R₃ is H, F, Cl, methyl, or methoxy, or methylenedioxy.
- Claim 19. (Previously Presented) A compound as claimed in claim 2 wherein Y is -O-, -S-, or $-N(R_5)$ wherein R_5 represents H or methyl.
- Claim 20. (Previously Presented) A compound as claimed in claim 2 wherein X is a bond, or a -CH₂- or -CH₂CH₂- radical.
- Claim 21. (Previously Presented) A compound as claimed in claim 2 wherein R_4 represents $-C(=O)NHR_6$, $-NR_7C(=O)R_6$, $-NR_7C(=O)OR_6$, $-NHC(=O)NHR_6$ or $-NHC(=S)NHR_6$ and in these R_6 is H or a radical of formula $-Alk_b-Q$ wherein

b is 0 or 1 and

Alk is a $-(CH_2)_n$ -, $-CH((CH_2)_mCH_3)(CH_2)_n$ -,

-CH((CH₂)_mCH₃) ((CH₂)_pCH₃)(CH₂)_n-, -(CH₂)_n-O-(CH₂)_m-, or -(CH₂)_n-O-(CH₂)_m-, radical where n is 1, 2, 3 or 4 and m and p are independently 0, 1, 2, 3 or 4, and Q represents H, -OH, -COOCH₃ phenyl, cyclopropyl, cyclopentyl, cyclohexyl, pyridyl, furyl, thienyl, or oxazolyl, and

R₇ is H, or when taken together with the nitrogen atom to which they are attached R₆ and R₇ form a pyrrolidine-2-one or pyrrolidine-2,5-dione ring.

- Claim 22. (Previously Presented) A method of immunomodulation in humans and non-human primates, comprising administration to a subject in need of such treatment an immunomodulatory effective dose of a compound as claimed in claim 2.
- Claim 23. (Previously Presented) A method of immunomodulation in humans and non-human primates, comprising administration to a subject in need of such treatment an immunomodulatory effective dose of a compound as claimed in claim 3.
- Claim 24. (Previously Presented) A pharmaceutical or veterinary composition comprising a compound as claimed in claim 2 together with a pharmaceutically or veterinarily acceptable excipient or carrier.
- Claim 25. (Previously Presented) A pharmaceutical or veterinary composition comprising a compound as claimed in claim 3 together with a pharmaceutically or veterinarily acceptable excipient or carrier.